


BRECOflex CO., L.L.C.

High Precision Drive Components

The World Leader In Polyurethane Timing Belts

ADVANCED MEAT RECOVERY

Belts For Product Separation




ESBAND®

Separator Belts

Discover the Difference

BRECOflex CO. L.L.C. aims to consistently exceed customer expectations as a market leader in the belting industry. That's no reason to rest on our laurels, but increases our motivation to come up with further developments and innovations. We are the sole distributor of Esband® products in North America. These innovative separator belts combine many years of experience and know-how of Esband®, and are ideal for the separation process involving all types of meat and poultry. The new Esband® separator belts offer many functional advantages. Flexibility, quiet running and durability are the main features. Additionally, Esband® separator belts are capable of a higher product yield and a greater longevity. Our customer-oriented service offers further advantages by combining knowledge and ability with an understanding of production process. This is what distinguishes Esband® belts from all others.



Fruit/Vegetables



Beef/Poultry/Pork



Fish



Recycling

Quality at the Esband® Level

We regard it as our obligation to manufacture the perfect endless belt. We aim to optimize our belt to ensure our customers achieve the highest level of performance and production time. We also make it our priority to provide quality support to our customers, during both design and operation, to ensure they are using the best possible belt in their application. In product separation it is often the details and the finer points in the production process that ultimately ensure success. Our belts significantly contribute to this success.

Separator Belts


Variety to Meet Your Requirements

Typically a standard separating machine is used for a multitude of different product processing. Optimizing the output requires a belt manufacturer willing to work with the end user to create the perfect belt specification. BRECOflex takes this individual approach by reviewing your needs and continually improving aspects most important to you. We created the following form to collect basic information needed to start the process. <https://www.brecoflex.com/products/esband-flat-belts/advanced-meat-recovery-belts/>

Special Endless Tension Members

Highly **tear** and **stretch resistant**

Completely coated by **sealed edges**



High Performance FDA-Approved Coating Materials



Each available for the outside and running side:

- FX with 80 Shore A
- FX with 92 Shore A
- GX with 70 Shore A
- GX with 90 Shore A

FDA approved conveyor belts meet the requirements of EC 1935/2004 as well the standards of FDA (U.S. Food and Drug Administration)



Surface texture can be selected for the outside and running side



Characteristics/Properties

- high yielding output efficiency
- wear-resistant coatings
- easy belt cleaning
- temperature-resistant up to 176°F (80°C)
- very good resistance to oils and greases
- long-lasting
- sealed edges

Product Dimensions

Length (mm)	1300 - 3000 mm
Width (mm)	150 - 300 mm
Thickness (mm)	10.0 - 17.0 mm

BRECOflex CO., L.L.C.

High Precision Drive Components

Contact Us

222 Industrial Way West • Eatontown, NJ 07724

Tel: 732-460-9500 • Fax: 732-542-6725

www.brecoflex.com • e-mail: info@brecoflex.com

Regional Sales Offices:

Atlanta	(770) 317-8745	Dallas	(214) 476-5650	Miami	(770) 317-8745	Richmond	(804) 387-5760
Bay Area	(661) 713 0121	Denver	(303) 470-7226	Milwaukee	(908) 461-6995	Seattle	(503) 781-3631
Baltimore	(804) 387-5760	Detroit	(908) 433-0036	Minneapolis	(908) 461-6973	Salt Lake City	(303) 470-7226
Boston	(603) 496-5833	Ft. Wayne	(908) 461-1168	Nashville	(732) 757-6647	San Antonio	(214) 476-5650
Buffalo	(412) 600-5632	Grand Rapids	(908) 461-1168	New York	(732) 829-7773	Toledo	(908) 433-0036
Charlotte	(908) 461-3937	Houston	(214) 476-5650	Philadelphia	(732) 829-7773	Toronto	(416) 476-7107
Chicago	(908) 461-6995	Indianapolis	(908) 461-2344	Phoenix	(480) 961-3846	Mexico City	+52 1 55 45335835
Cincinnati	(908) 461-2344	Las Vegas	(480) 961-3846	Portland	(503) 781-3631	Monterrey	+52 1 55 40840778
Cleveland	(412) 600-5632	Los Angeles	(661) 713-0121	Pittsburgh	(412) 600-5632	Guadalajara	+52 1 55 40949053

Copyright 2018 BRECOflex CO., L.L.C. • BRECO®, BRECOFLEX® & ATN® are registered trademarks of BRECO Antriebstechnik GmbH • ARC-POWER® is a registered trademark of BRECOflex CO., L.L.C. • Kevlar® is a registered trademark of DuPont Patents Pending • ESBAND® is a registered trademark of Max Schlatterer GmbH & Co. KG Patents Pending. Specifications are subject to change without prior notice.

All recommendations for the use of the products described herein and all other data or information set forth in this publication, whether concerning such products or otherwise, are furnished without any guarantee, warranty representations or inducement of any kind whether expressed or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. BRECOflex CO., L.L.C. expressly disclaims liability under any theory, including without limitation, contract negligence, misrepresentation or breach of any obligation relating to the recommendation, data or information set forth herein. Readers and customers are encouraged to conduct their own test before using any product. Read its label and all related instructions. BRECOflex CO., L.L.C. reserves the right to make changes in the technical and dimensional specifications of its products without prior notice. Responsibility for expenses incurred as a result of product changes or discontinuance of a product lies solely with the purchaser.